# Subject Index


Abyssal peridotite 56f.
adamellite, Precambrian, geochronology 300f.
aegirine 155
aenigmatite 155
albite 5
alkali feldspars, exsolution 3ff., 335f.
–, microtextures 335f.
–, system, solidus temperatures 266
alkaline suite, geochemistry 77ff.
alkali olivine basalt 79
alkali-zirconosilicates 155f.
alpine-type peridotites 55ff.
–, petrogenesis 71f.
–, spinel composition 63f.
$Al_2SiO_5$ phases, triple point 316
amphibole 211
–, pyroxenite xenolith 121
amphibolite 313
anatexis, migmatites 317
–, rhyodacite formation 383
An-content, plagioclase, infl. on gneiss anatexis 264f.
andalusite 312
–, xenoliths 374
andesine, perthites 337
andesite, W. Alps 210
anorthosites, sapphirine/kornerupine coex. 342f.
apatite, anorthosite 348
–, geochronolgy of Precambrian granites 304
–, skeletal 91
aragonite 325
Archaean gneiss, geochronology 398f.
arfvedsonite 155
astrophyllite 155
augite, gabbro 189
–, Skaergaard roof-zone, texture 90f.
augite/omphacite coex. 241f.

Basalt, Esmeralda, geochemistry 160ff.
–, Gorgona 96f.
–, W. Alps 210f.
basanite 79
biohermal ridge, Great Salt Lake 322
biotite 211, 310, 388
–, Ti solubility 254
–, xenoliths 374
blueschists, coesite occurrence 107f.
boninite 59
brannerite, age determination 299
bronzitite, Bushveld 45f.
brucite/water, H isotopic fractionation 19f.

Calcite 325
–, fenite 171
–, kimberlite 38
catapleite 155
chemical analysis
–, amphibole, pyroxenite xenoliths 125
–, andesites 59
–, –, W. Alps 214
–, augite, Sanbagawa Belt 243
–, augite andesite 59
–, basalt 59, 161
–, –, W. Alps 214
–, biotite, gneiss 314
–, –, metasedimentary xenoliths 377
–, boninite 59
–, chlorite, anorthosite 351
–, clinopyroxene, basalts 79
–, –, garnet lherzolites 181
–, –, kimberlite 39
–, –, komatiites 97
–, –, lamprophyres 212
–, –, metasedimentary xenoliths 378
–, –, Victoria ultramafics 224
–, cordierite, anorthosite 351
–, –, gneiss 314
–, dacite 59
–, diopside, pyroxenite xenoliths 123
–, dolerite dikes 392
–, enstatite, anorthosites 351
–, –, peridotites 55
–, –, pyroxenite xenoliths 123
–, fenites, Finnmark 174
–, –, minerals 173
–, garnet 203
–, –, blueschists 111
–, –, garnet lherzolites 179f.
–, –, kimberlite 39
–, –, pyroxenite xenoliths 124
–, garnet-sapphirine-gedrite rock 201
–, gedrite 203
–, –, anorthosite 351
–, glass, komatiites 98
–, –, metasedimentary xenoliths 379
–, gneiss, Archaean 403
–, high-Al basalts 60
–, hornblende, brown, gabbro 192
–, ilmenite, metabasite 249
–, –, metasedimentary xenoliths 379
–, –, pyroxenite xenoliths 124
–, jadeite, Gorgona 111
–, K-feldspar, gneiss 314
–, –, lamprophyre 212
–, kimberlite dikes, N.Y. 38
–, komatiites, Gorgona 99
–, kornerupine, anorthosite 350
–, latites, W. Alps 214
–, lavas, Okete 80
–, metasedimentary xenoliths, Mt. Amiata 380
–, mica, brown, lamprophyre 212
–, oceanic plateau basalts 60
–, olivine, basalts, Okete 79
–, –, dolerite dikes 390
–, –, garnet lherzolites 182
–, –, kimberlite 38
–, –, metasedimentary xenoliths 379
–, –, peridotites 55
–, olivine metagabbro, Finnmark 171
–, omphacite, Sanbagawa Belt 243
–, ophiolite basalts 59
–, orthopyroxene, garnet lherzolites 180
–, –, metasedimentary xenoliths 378
–, peridotite nodule minerals 276f.
–, perovskite, kimberlite 39
–, phengite, blueschists 111
–, phlogopite, anorthosite 351
–, –, blueschists 111
–, –, garnet lherzolites 183
–, –, kimberlite 38
–, –, pyroxenite xenoliths 125
–, –, sapphirine-bearg. rocks 203
–, plagioclase, dolerite dikes 389
–, –, gneiss 314
–, pyroxene phenocrysts, dolerites 391
–, rutile, metabasite 249
–, –, pyroxenite xenoliths 124
–, sapphirine 203
–, –, anorthosite 349
–, sphene, metabasite 250
–, spinel 203
–, –, abyssal peridotites 56
–, –, anorthosites 351
–, –, basalts 59f.
–, –, garnet lherzolites 184
–, –, metasedimentary xenoliths 379
–, –, peridotites 55
–, staurolite, Mg-rich 203
–, talc, Gorgona 111
–, tholeiites, Gorgona 100
–, Ti-magnetite 379
–, troctolite, lunar 60
–, volcanics, Alban Hills 232
chlorite, anorthosite 348
–, structure and stability 409f.
chromite, layered intrusions 343
chromitite, Bushveld 45
C-isotopes, Great Salt Lake sediments 328
clinochlore 415
clinochrysotile 23
clinopyroxene 97f., 120f., 221, 231
–, garnet lherzolite 181
–, kimberlite 37
–, Okete lavas 79f.
–, rhyodacite 375
clinopyroxene suite, ultramafic nodules 221ff.
coarsening, cryptoperthites 13
coesite, alpine blueschists 107f.
contact aureole, Notch Peak 25f.
contamination, lavas 374f.
cooling rate, magma, estimate 89f.
$CO_2$-production, xenoliths 376
cordierite 311f.
–, anorthosite 347
–, xenoliths 374
corundum 201
–, anorthosites 347
–, fenitisation 175
Cr-pyrope, garnet lherzolite 180
Cr-spinel, peridotites, petrogenetic indicator 54ff.
crustal development, Finland, Archaean 405
cryptoperthites 336f.
–, exsolution 3ff.
crystal growth, roof-zone of magma chamber 89f.

Dalyite 155
davidite, age determination 299
decarbonation, contact metamorphism 29
dendritic crystals, Skaergaard roof-zone 92
diamond, geotherms and genesis 187
differential scanning calorimetry, measurement of heat capacities 131f.
differentiation, basaltic magma, hornblende occurrence 189

–, basaltic suite, enrichment of incompatible elements 77f.
diffusion, xenoliths in magma 382
dike suite, alkalic 386f.
dioctahedral chlorites 409f.
diopside 170, 276
–, fenite 171f.
diorite 387
disequilibrium, mineral-liquid 382
dislocations, perthites 336f.
dolerite 192f.
dolerite dikes 386f.
donbassite 409
drop calorimetry, heat capacity measurement of silicate glasses 137f.
dunites 64

Eckermannite 155
eclogite 241
eclogite xenoliths, kimberlite 37f.
elpidite 155
enstatite, anorthosite 347
enstatite content, orthopyroxene, influence on changing 51
enstatite peridotites 55f.
enthalpies of fusion, silicates 145
entropies, silicate glasses 131ff.
epidote amphibolite 241
equilibrium, olivine/melt, P-infl. 49
exsolution, cryptoperthites 7f.
–, kinetics 14
–, microtextures 335f.
–, stages 13

Fasciculate growth, pyroxenite xenoliths in kimberlite 120
fayalite 256
Fe-Mg distribution, coex. minerals of Bushveld Complex 45ff.
fenites 171ff.
fenitisation 170f.
ferrohedenbergite, dendritic, Skaergaard 92
fluid/rock interaction 25f.
forsterite 256
–, olivine zoning 150f.
fractional crystallization, alpine volcanics 216
–, peridotites 67
fractionation factor, H isotopes, brucite/water 19f.
fractionation trend, Bushveld Complex 45ff.

Gabbro 400
–, brown hornblende 189f.
–, nephelinisation 170f.
garnet 120f.
–, blueschists 108f.
–, garnet lherzolites 180
–, inclusion of Mg-staurolite 202
–, kimberlite xenolith 37
–, Ti solubility 254
–, zoned, peridotite nodules 274f.
garnet harzburgites 178f.
garnet lherzolite 178f.
garnet/orthopyroxene, experim. Fe-Mg partitioning 359ff.
garnet/orthopyroxene thermometer 369ff.
–, thermodynamics 360
gedrite 201
–, anorthosites 347
geochronology, Archaean gneiss 400
–, Precambrian U-bearg. granites 299ff.
geothermobarometry, garnet lherzolites 184f.
geothermometry, Fe-Mg partitioning between coex. minerals 359f.
–, granulites and peridotites 369
–, hornblende 196
glass, heat capacities 135f.
–, komatiites 99
–, xenoliths 375
gneiss 310f.
–, geochronology 398ff.
gneiss anatexis 264f.
granite system, melting 264ff.
granular syenite 4
granulites 115
–, temperature estimates 369
Great Salt Lake, Utah, precursors 321f.
grossular 241

Haematite, anorthosite 348
harzburgite 45, 55f.
hawaiite 79
heat capacities, silicate glasses 131ff.
hemo-ilmenite 249
hercynite 377
H isotopic fractionation, brucite/water 19f.
hopper apatite, Skaergaard 91
hopper zircon 91
hornblende 313
–, brown, gabbros 189f.
–, magmatic 189ff.
–, $TiO_2$ solubility 253
hornblende eclogite 241
hornfels 374f.
hydroxides, H fractionation behavior 23

Idocrase, fenite 171
ilmenite 120f., 313
–, metabasites 249f.
–, skeletal 90
–, xenoliths 375
ilmenite pyroxenite 120f.
ilmeno-hematite 249
ilmeno rutile 201
impact sites, coesite 107
incompatible elements, enrichment during basalt differentiation 77f.
–, patterns, relation to mantle composition 235
–, ratios, Esmeralda basalts 165
intercumulus liquid, orthopyroxenes 51
intergrowths, nepheline/Al-pargasite, fenite 171
–, skeletal magnetite/ilmenite, Skaergaard 91
island arcs 159f.

Jadeite, blueschists 109

Kaersutite 124f.
K-Ar age determination, kimberlite dikes 40
K-feldspar 212, 310
kimberlite, xenoliths 119f.
kimperlite dikes, N. York 35f.
kinetics, exsolution of cryptoperthites 14f.
kirschsteinite 256
komatiite 400
–, Gorgona, geochemistry 95ff.
kornerupine 347f.
–, stability 342
kyanite 415
–, anorthosite 348
–, incl. in garnet 108f.

Lacustrine biota, Great Salt Lake 326
Lake Bonneville, Utah 321f.
lake level, Great Salt Lake precursors 330f.
lamellar textures, cryptoperthites 5ff.
laminae, Great Salt Lake sediments 325
laminated syenite 4
lamproite 155
lamprophyre 388
–, ultrapotassic 210
La/Sm, dolerites 394
latite, W. Alps 210
lava, metasedimentary xenoliths 374f.
lava evolution, Alban Hills 236f.
layered intrusions, Limpopo Belt 343f.
layered syenite, cryptoperthite exsolution 3f.
leucite 231
leucoadamellite 299
lherzolite 55
–, temperature estimates 369
liquids, supercooled, heat capacities 132f.
lozenge-shaped textures, cryptoperthites 5

Magma source, pyroxenite 129
magnetite, skeletal 90
mantle, melt migration 70
–, metasomatism 274f.
mantle source, komatiites 94
margarite, Al/Si-ordering 294f.
melilite 231
melt generation, subduction zones 159f.
melting, granite system 264ff.
–, partial, metasedimentary xenoliths 381
melting model, Esmeralda basalt petrogenesis 166
mesoperthite, dislocation 337
metamorphic equilibria, $TiO_2$-bearing rocks 250f.
Mg-calcite 325
Mg-carpholite 415
Mg-Fe partitioning, spinels 65f.
microcline 5
migmatite 264f., 399f.
–, cordierite-bearing 309f.
minette 387
mirabilite, Great Salt Lake 322f.
monazite, anorthosite 348
monchiquite 388
monticellite 256
muscovite 114, 315

Nd isotopes, kimberlite, mantle source 40
Nd isotopic composition, Esmeralda basalts 164
Nd-Sr correlation, Gorgona komatiites 102
nepheline, fenite 171f.
nepheline syenite 170f.
network-modifier, zircon 156
norite 189

Offcraton kimberlites 178f.
O fugacity, infl. on enstatite content in orthopyroxene 51
O isotopic fractionation, contact metamorphism 28
Okete lavas, N. Zealand, differentiation 77ff.
–, geochemistry 85

olivine 45f., 170, 211, 221, 231, 276
–, Ca-Mg-Fe ~, phase relations 256ff.
–, fractionation 67
–, gabbro 189f.
–, garnet lherzolite 182
–, kimberlite 38
–, komatiites 97f.
–, metasedimentary xenoliths 379
–, Okete lavas 79f.
–, peridotites 55f.
–, Skaergaard roof-zone, texture 90
–, zoning 150f.
olivine gabbro 189
olivine-melt equilibria, thermodynamics 46
olivine synthesis 256
omphacite, coex. with augite, amphibolite 241f.
ophiolites 54f.
ordering, Al-Si in dioctahedral micas 294f.
orthoclase, perthite 337
orthopyroxene 120f., 221, 276
–, Bushveld 45f.
–, dolerite 390
–, gabbro 189
–, garnet lherzolite 181
–, geothermometry 360ff.
–, rhyodacite 375

**P**argasite 170, 241
–, Al~, fenite 171f.
partial melting, mantle peridotite 67
–, metasedimentary xenoliths 380
–, source of alpine volcanics 216
partitioning, Fe/Mg between garnet/orthopyroxene 359ff.
–, W between granite and vapor 288f.
pegmatite 170f.
peralkaline granites, Zr-silicates 155f.
pericline twinning 9
peridotite 400
–, Cr-spinel 54f.
–, cumulate 94f.
–, temperature estimates 369
peridotite nodules, zoned garnets 274f.
perovskite, kimberlite 38
perpendicular-feldspar rock, Skaergaard 90
perthites, exsolution microtextures 335f.
phengite, blueschist 109
phlogopite 201, 388
–, anorthosite 348
–, blueschist 111
–, garnet lherzolite 182f.
–, kimberlite 38
picrite 189
pitchblende 299
plagioclase 170, 211, 310, 388
–, anorthosites 348
–, gabbro 189
–, gneiss anatexis 264f.
–, rhyodacite 375
–, Skaergaard roof-zone, texture 90f.
–, xenoliths 375
plate tectonics, Alps 209
Pleistocene lakes, Utah 321f.
pollen, Great Salt Lake sediments 327
polyhedral geometry, ultramafic clinopyroxenes 223
porphyroclastic rocks, zoning 275f.
pyrope, pure, blueschists 107f.
–, pyroxenite xenoliths 121
–, stability 112f.
pyrophyllite 414
pyroxenite xenoliths, kimberlite 119ff.
pyrrhite 155

**Q**uartz 211, 310, 325, 388
–, anorthosites 348
–, incl. in garnet 108f.
quartzite 108

**R**are earth elements, Archaean gneiss 403
–, dolerites 394
–, Esmeralda basalts 163
–, komatiites 100
–, tholeiites 100
retrograde metamorphism 313
rhyodacite 375
richterite 155
riebeckite 155
rifting, Alps 209
rutile 299
–, anorthosite 348
–, geochronology of Precambrian granites 304
–, incl. in garnet 108
–, metamorphic 249

**S**, Great Salt Lake sediments 328
salite, fenite 171
sanidine, xenoliths 374
sapphirine 201, 346f.
–, stability 342
scapolite, anorthosite 348
serpentine 23
–, kimberlite 38
shoshonitic basalt, W. Alps 210f.
sillimanite 312
–, anorthosites 347
–, fenitisation 175
Skaergaard intrusion, Greenland, roof-zone 89f.
skeletal ilmenite, pyroxenite 120
Sm-Nd isotopes, gneiss geochronology 401
Sm-Nd systematics, kimberlite dikes 38f.
sodic pyroxenes 242f.
solid solution, olivine, thermodynamics 47f.
solidus temperatures, granite system 267
solution model, olivines 258f.
sphene 241
–, metamorphic 249
spinel 201, 221
–, anorthosites 347
–, basalts 55f.
–, fenitisation 175
–, garnet lherzolite 183
–, kimberlite 38
–, peridotites 55f.
–, xenoliths 374
spinel crystallization, P-influence 70
spinel peridotites 55f.
spinifex texture, Gorgona komatiites 95
staurolite, Mg-rich 200ff.
strain, cryptoperthites 13
Sr isotopic composition, Esmeralda basalts 164
subduction zone, Alps 209f.
–, melt generation 159f.
submarine volcanism, Esmeralda 159ff.
subsolidus reactions, granite system 267f.
substitution, chlorites 410
sudoite, synthesis 412
sudoite phase relations 414
sudoite stability 409f.
syenite, layered, cryptoperthite 3f.
system, $MgO–Al_2O_3–SiO_2–H_2O$, sudoite stability 409f.

**T**alc, blueschist 111
textures, cryptoperthites 5
thermodynamics, Fe-Mg partitioning between coex. garnet and orthopyroxene 360f.
tholeiites, Gorgona 96f.
Ti-magnetite, metasedimentary xenoliths 379
time-temperature-transition diagrams, cryptoperthites 14
$TiO_2$ activity, metapelites 248ff.
tonalite 398f.
tourmaline, anorthosite 348
trace elements, alpine volcanics 216
–, dolerites 394
–, Esmeralda basalts 163
–, Okete lavas 81
troctolite 60
twinning, albite 5f.
–, perthites 335f.

**U** mineralization, Olary 299f.
U-Pb-Th isotope data, U-minerals, S. Australia 302
upper mantle, coesite 107

**V**esuvianite, fenite 171f.
vlasovite 155
volcanoes, Alban Hills 231
–, Esmeralda 160f.

**W**, partitioning between granite/vapor 286f.
wadeite 155
water content, high-grade metamorphic rocks 271f.
wavy-pyroxene rock, Skaergaard 90
W oxides, occurrence 290

**X**enoliths, garnet lherzolite in Orange River Belt kimperlites 178ff.
–, kimberlite, temperature estimates 369
–, metasedimentary 374f.

**Y**-order, cryptoperthites 8f.

**Z**eolite, fenite 171
zig-zag lamellae, cryptoperthites 5
zircon, anorthosite 348
–, geochronology of Precambrian granites 303
–, hopper 91
zirconosilicates, peralkaline rocks 155f.
zoisite amphibolite, coex. augite/omphacite 241f.
zoning, olivines 149f.
–, peridotite nodules 274f.
–, xenoliths 375
zoning patterns, metasomatic origin 280f.